





Guangdong JIEYO New Energy Technology Co., Ltd.

JYE-650W512L Portable Energy Storage Power Station

Electrical Performance			
Nominal Voltage	21.9V		
Nominal Capacity	31.2Ah		
Capacity@0.5C	110min		
Energy	683Wh		
Self Discharge	<3%/Month		
Cells	Ternary cylinder 18650		
Management System: PWM charge controller, BMS			
Ac Output Performance		Mechanical Performance	
Output voltage	100-120V/200-240V	Dimension (LxWxHxHT) mm	360x146x225x236
Output frequency	50/60Hz	Approx. Weight	10kg
Rate Output Power	AC:650W DC:683W	Case Material	Aluminium alloy
Peak Output Power	1000W	Enclosure Protection	IP55
Inverting Characteristic	Unidirectional inverter	Charging Mode	
Inverter Efficiency	95%	Standard charging	4-6h
Charging Temperature	14-113°F (0-+45°C)	Quickly charging	
Discharge Operating Temperature	14-113°F (-10-+45°C)	PV charging	100W
Warranty	3 years	Car Port*1	12V/10A
AC Input*2	100-120V/200-240V	Certification	
USB Port*3	QC3.0 36W each*2 5V2.4A *1	Certification	CE (battery)
PD Port	PD60W*1		UN38.3 (battery)
DC Port (5525)*1	12V= 5A*1	Shipping Classification	UL1642&IEC62133 (cells)
			UN3480, CLASS9
Outline Dimension			
			
<b>L(mm)</b>	<b>W(mm)</b>	<b>H(mm)</b>	<b>HT(mm)</b>
<b>360</b>	<b>146</b>	<b>225</b>	<b>236</b>